



Disclaimer:

As a condition to the use of this document and the information contained herein, the Facial Identification Scientific Working Group (FISWG) requests notification by e-mail before or contemporaneously to the introduction of this document, or any portion thereof, as a marked exhibit offered for or moved into evidence in any judicial, administrative, legislative, or adjudicatory hearing or other proceeding (including discovery proceedings) in the United States or any foreign country. Such notification shall include: 1) the formal name of the proceeding, including docket number or similar identifier; 2) the name and location of the body conducting the hearing or proceeding; and 3) the name, mailing address (if available) and contact information of the party offering or moving the document into evidence. Subsequent to the use of this document in a formal proceeding, it is requested that FISWG be notified as to its use and the outcome of the proceeding. Notifications should be sent to: chair@fiswg.org

Redistribution Policy:

FISWG grants permission for redistribution and use of all publicly posted documents created by FISWG, provided that the following conditions are met:

Redistributions of documents, or parts of documents, must retain the FISWG cover page containing the disclaimer.

Neither the name of FISWG, nor the names of its contributors, may be used to endorse or promote products derived from its documents.

Any reference or quote from a FISWG document must include the version number (or creation date) of the document and mention if the document is in a draft status.



Facial Comparison Overview and Methodology Guidelines

1. Scope

1.1 The purpose of this document is to provide guidelines and recommendations to the practitioner for conducting facial comparisons.

1.2 This standard does not purport to address all safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

2. Referenced Documents

2.1 *ASTM Standards:*¹

E2916 Terminology for Digital and Multimedia Evidence Examination

E3149 Standard Guide for Facial Image Comparison Feature List for Morphological Analysis

E3115 Standard Guide for Capturing Facial Images for Use with Facial Recognition Systems

2.2 *Other Standard Documents:*^{2,3}

¹ For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For Annual Book of ASTM Standards volume information, refer to the standard's Document Summary page on the ASTM website.

² Available from Facial Identification Scientific Working Group (FISWG), <http://www.fiswg.org/documents>.

³ Available from Scientific Working Group on Digital Evidence (SWGDE), <https://www.swgde.org/documents>.

FISWG Recommendations for a Training Program in Facial Comparison

FISWG Guidelines and Recommendations for Facial Comparison Training to Competency

SWGDE Technical Overview for Forensic Image Comparison

2.3 Other Referenced Documents:

Biederman, I., & Kalocsai, P. (1997). Neurocomputational bases of object and face recognition. *Philosophical Transactions of the Royal Society B: Biological Sciences* 352(1358), 1203-1219.

Bruce, V., Henderson, Z., Greenwood, K., Hancock, P., Burton, A., Miller, P., Verification of face identities from images captured on video, *Journal of Experimental Psychology: Applied*, 5, 339-360, 1999.

Bruce, V., Henderson, Z., Newman, C., Burton, A. M., Matching identities of familiar and unfamiliar faces caught on CCTV images, *Journal of Experimental Psychology: Applied*, 7, 207-218, 2001.

Burton, A. M., Wilson, S., Cowan, M., Bruce, V., Face recognition in poor-quality video: evidence from security surveillance, *Psychological Science*, 10, 243-248, 1999.

Butavicius, M., Mount, C., MacLeod, V., Vast, R., Graves, I., Sunde, J., An experiment on human face recognition performance for access control, *Knowledge-Based Intelligent Information and Engineering Systems, 12th International Conference KES*, 141-148, 2008.

Edmond, G., Biber, K., Kemp, R., Porter, G., Law's looking glass: expert identification evidence derived from photographic and video images, *Current Issues in Criminal Justice*, 20, 337-377, 2009.

Evison, M., Dryden, I., Fieller, N., Mallett, X., Morecroft, L., Schofield, D., Vorder Bruegge, R., Key parameters of face shape variation in 3D in a large sample, *Journal of Forensic Science*, 55, 159-162, 2010.

Henderson, Z., Bruce, V., & Burton, A. M., Matching the faces of robbers captured on video, *Applied Cognitive Psychology*, 15, 445-464, 2001.

Hill, H. and Bruce, V, Effects of lighting on matching facial surfaces, *Journal of Experimental Psychology: Human Perception and Performance*, 22, 986-1004, 1996.

Iscan, M.Y. and Helmer, R.P. (ed.), *Forensic analysis of the skull: craniofacial analysis, reconstruction, and identification*, Wiley-Liss, 57-70, 1993.

Kemp, R., Towell, N., Pike, G., When seeing should not be believing: photographs, credit cards and fraud, *Applied Cognitive Psychology*, 11, 211-222, 1997.

Kleinberg, K.F., Vanezis, P., Burton, A.M., Failure of anthropometry as a facial identification technique using high-quality photographs, *Journal of Forensic Science*, 52, 779-783, 2007.

Lee, W.J., Wilkinson, C.M., Memon, A., Houston, K., Matching unfamiliar faces from poor quality closed-circuit television (CCTV) footage: an evaluation of the effect of training on facial identification ability, *AXIS*, 1, 1, 19-28, 2009.

Maurer, D., Le Grand, R., & Mondloch, C. J. (2002). The many faces of configural processing. *Trends in Cognitive Sciences*, 6(6).

Megreya, A.M. and Burton, A.M., Unfamiliar faces are not faces: evidence from a matching task, *Memory & Cognition*, 34, 865-876, 2006.

Moreton, R. and Morley, J., Investigation into the use of photoanthropometry in facial image comparison. *Forensic Science International*, 212, 231-237, 2011.

Penry, J., *Looking at faces and remembering them: a guide to facial identification*, Elek, 1971.

Rossion, B. (2008). Picture-plane inversion leads to qualitative changes of face perception. *Acta Psychologica*, 128(2), 274-289.

Ritz-Timme, S., Gabriel, P., Obertová, Z., Boguslawski, M., Mayer, F., Drabik, A., Poppa, P., De Angelis, D., Ciaffi, R., Zanotti, B., Gibelli, D., Cattaneo, C., A new atlas for the evaluation of facial features: advantages, limits, and applicability, *International Journal of Legal Medicine*, 125, 2, 301-306, 2010.

Vanezis, P., Lu, D., Cockburn, J., Gonzalez, A., McCombe, G., Trujillo, O., Vanezis M., Morphological classification of facial features in adult caucasian males based on an assessment of photographs of 50 subjects, *Journal of Forensic Sciences*, 41, 786-791, 1996.

3. Terminology

3.1 Definitions: See Terminology E2916 for digital and multimedia evidence examination terms.

4. Summary of Guide

4.1 This document reviews general types of facial comparisons, methods, and applications of facial comparison.

4.2 This document provides recommendations for general practices and methodologies to conduct facial comparisons.

5. Significance and Use

5.1 Facial comparison is a manual process conducted by a human which entails identifying similarities and differences between two images or an image and a live subject to determine whether they represent the same person.

5.1.1 Practitioners conduct facial comparisons to support different applications for the purpose of identity verification. The application, purpose, and resources available for a facial comparison task determine which category of facial comparison should be conducted.

5.1.2 Most applications fall primarily into one of the following four categories, however crossover may exist.

5.1.2.1 **Intelligence Gathering** for Identity Management comparisons is a component of the compilation of information relating to what is **believed** to be a single subject, even if the identity of the subject is not known.

5.1.2.2 **Screening and Access Control** includes both image-to-image and image-to-person comparisons. Both occur in a high throughput environment and are thus limited in time (e.g., customs and immigration checkpoints).

5.1.2.3 **Investigative and Operational Leads** comparisons provide information, generally not intended for presentation in court, to assist operational personnel with meeting their objective (e.g., comparing an unknown subject featured in one or many images to images of known subjects to provide investigators with a potential name for a crime suspect).

5.1.2.4 **Forensic comparisons** provide information to assist a trier of fact (e.g., judge or jury).

5.2 There are three broad categories of facial comparison: assessment, review, and examination.

5.2.1 **Assessment** is a quick real time comparison of image-to-image or image-to-person typically carried out in screening and access control applications. Due to time constraints, assessment is often undocumented and is considered the least rigorous of all the facial comparison categories.

5.2.2 **Review** is a comparison of image-to-image often used in either investigative and operational leads or intelligence gathering applications. A broad range of purposes and levels of rigor are involved in review, though it is by nature more rigorous than the assessment process and may require some level of documentation. An independent technical review should be conducted.

5.2.3 **Examination** is a comparison of image(s)-to-image(s) often used in a forensic application. Examination is the most rigorous category of facial comparison and typically requires more detailed documentation. An independent technical review should be conducted.

5.3 There are three comparison methods (morphological analysis, superimposition, and photo-anthropometry) currently recognized in facial comparison.

6. Comparison Methodology Guidelines

6.1 Depending on the application of the comparison, procedures may include some or all of the following steps: Analysis, Comparison, Evaluation, and Verification (referred to as ACE-V). As stated above, verification should be carried out in both facial review and facial examination.

6.2 **Morphological analysis** is direct comparison of class and individual facial characteristics without explicit measurement. The method of facial comparison in which the features and components of the face are compared.

6.2.1 Morphological analysis (in some form) should be the primary approach used for facial comparison in all categories: assessment, review, and examination. Opinions in relation to similarity or difference are based on subjective assessment, evaluation, and interpretation of observations.

6.2.2 Morphological analysis is based on the evaluation of the correspondence among facial features, components and their respective component characteristics (presence, shape, appearance, symmetry, location, relative proportion, etc.). Features include those corresponding to the overall face, anatomical structures such as the nose or ear and their components (e.g., nose bridge, nostrils, ear lobes, helix), and discriminating characteristics, such as scars, marks and tattoos. The E3149 "Standard Guide for Facial Image Comparison Feature List for Morphological Analysis" provides a standard list of facial components and component characteristics to be assessed and evaluated during a morphological analysis. This methodology is used during the Analysis and Comparison steps in the ACE-V process.

6.2.3 The morphological analysis process should not rely on classification schemes (e.g., round face, Roman nose) which result in interobserver differences and are,

therefore, not best practice (Iscan, 1993; Penry, 1971; Ritz-Timme et al., 2010; Vanezis et al., 1996).

6.2.4 Documentation of a morphological analysis is required. Documentation processes will depend on the agency guidelines and application of comparison undertaken. Screening and access control applications apply a more basic level of morphological analysis, therefore, documentation of the decision-making process is generally not required. Alternatively, when using morphological analysis for facial examination as in a forensic application, the examination and decision-making process should be fully documented and include an independent technical review.

6.2.5 Morphological analysis is highly dependent on the quality and quantity of the facial features and characteristics that can be compared. Image quality can be affected by factors including, but not limited to, image resolution, lighting, focus, pose, angle, orientation, and obstructions of facial features.

6.2.6 The morphological analysis method requires training consistent with the category of the comparison carried out.

6.3 **Superimposition** is the process of creating an overlay of two aligned images and comparing them visually.

6.3.1 Superimposition is *only* used in conjunction with morphological analysis. It shall never be used as a stand-alone approach for facial image comparison.

6.3.2 Superimposition can be applied only when two images are taken from the same viewpoint (images may be photographs, frames or images from video, or images synthesized from 3D face or head models). Images are aligned (e.g., scaled, rotated) with each other. There should be a concordance between images in all aspects of angle and perspective to avoid distortion of the spatial distribution of facial features and characteristics. Practitioners use tools which preserve shapes and shall not use image processing techniques which may skew the images, facial proportions, or shapes.

6.3.3 Since superimposition is sensitive to image quality, both images should be captured under optimal conditions (as defined by E3115) or the use of this method may be misleading. Loss of image quality through blurring, compression artifacts, reduction in spatial resolution (e.g., number of pixels between the pupils), lens distortion, perspective distortion, etc. reduces the ability to determine the specific location of individual features, which subsequently reduces the ability to generate an accurate overlay/superimposition.

6.3.4 In cases where there are multiple copies of the same original image (e.g., forged identity documents), superimposition may be carried out on images displaying less than optimal quality.

6.4 Photo-anthropometry is the measurement of dimensions and angles of anthropological landmarks and other facial features visible in an image in order to quantify characteristics and proportions. The measurements taken from one image are compared to the measurements taken from a separate facial image.

6.4.1 Photo-anthropometry shall not be used for facial comparison in any categories: assessment, review, or examination.

6.4.2 As in superimposition, photo-anthropometry is highly sensitive to image capture and quality factors including but not limited to resolution, focus, distortion, obscuration, viewpoint, lighting, and pose. In addition, the following information should be known about the images prior to conducting the comparison: focal length, lens distortion and subject distance. Photo-anthropometry should only be conducted when the image capture and quality factors of the images being compared are controlled and are the same. Given the uncontrolled conditions under which many questioned images (e.g., security camera images) are captured, it is often not possible to conduct a proper photo-anthropometric comparison.

6.4.3 The limitations described above regarding image requirements preclude the use of photo-anthropometry in any facial comparison. This technique should not be used as an independent comparison method or in conjunction with another method. (Evison et al., 2010; Kleinberg, 2007; Moreton and Morley, 2011)

6.5 Apart from the methods described above, **holistic process** (i.e., the innate human ability to compare faces) will take place. It should be stressed that holistic process is not a method. Human ability for holistic face comparison is highly variable and is dependent on a multitude of factors including, but not limited to, personal ability and familiarity with the subject. Studies have shown that human ability to compare unfamiliar faces is highly prone to error whereas comparison of familiar faces may be carried out accurately even when image conditions are poor. (Biederman & Kalocsai, 1997; Maurer, Le Grand, & Mondloch, 2002; Rossion, 2008).

7. Summary of Recommendations

7.1 Morphological analysis method is considered to be the best practice by the Facial Identification community for facial comparison. When conducting morphological analysis for facial comparison, and the application warrants, the examination and decision-making process should be fully documented.

7.2 In the ACE-V process, morphological analysis is utilized during the analysis and comparison steps. Opinions are based on the results of the morphological comparison. Additionally, an independent technical review or check (verification or peer review) should be conducted on all documented observations relating to facial examinations.

7.3 Superimposition shall only be used in conjunction with morphological analysis. Photo-anthropometry shall not be used for facial image comparison.

FISWG documents can be found at: www.FISWG.org

DRAFT